

PG161-A00

TU106 6GB GDDR6, 192b, X16
DVI-D/DP + DP + HDMI

TABLE OF CONTENTS

Page Description


Page Description

Page Description



1	Table of Contents
2	Block Diagram
3	PCI Express
4	PCIE RC TERM
5	MEMORY: GPU_FB_AB
6	MEMORY: FBA[31:0]
7	MEMORY: FBA[63:32]
8	MEMORY: FBB[31:0]
9	MEMORY: FBB[63:32]
10	MEMORY: GPU_FB_CD
11	MEMORY: FBC[31:0]
12	MEMORY: FBC[63:32]
13	MEMORY: FBD[31:0]
14	MEMORY: FBD[63:32]
15	GPU PWR & GND
16	GPU Decoupling
17	GPU Decoupling2
18	IO: IFPAB DVI-D-DL
19	IO: IFPA DP
20	IO: IFPB DP
21	IO: IFPE & IFPF USBC NC
22	IO: IFPC HDMI
23	IO: IFPD DP
24	IO: NVHS Interface and Frame Lock
25	MISC1: Thermal, JTAG, GPIO,STEREO



26	MISC2: ROM, XTAL,STRAPS
27	PS: 1V8_AON
28	PS: 5V
29	PS: PEXVDD
30	PS: FBVDDQ
31	PS: FBVDDQ PH2
32	PS: NVVDD Controller
33	PS: NVVDD Controller OVR3i
34	PS: NVVDD Phase 6,4
35	PS: NVVDD Phase 3,5
36	PS: NVVDD Phase 2,1
37	PS: Input Power Balancing Switcher
38	PS: Input, Filtering, and Monitoring
39	PS: STEERING, UPB & HOT-UNPLUG
40	PS: Type-C BuckBoost
41	PD PPC
42	PS: 12V & 3V3_A SWITCHER
43	SEQ: 5V, 1V8, NV3V3 ENABLE
44	SEQ: NV, PEX, FB ENABLE
45	SEQ: VOLTAGE MONITOR
46	SEQ: DISCHARGE
47	SEQ: MISC
48	LOGO LED
49	LED DRIVER & BOOST
50	FAN

51	PS: Pre-filter
52	MECH
53	PTC



POWER SUPPLY


















NO PEX GEN4 SUPPORT
DELETE RC TERMINATIONS




MICRO-STAR INT'L CO.,LTD		
MS-V375		
Size	Document Description	Rev
Custom	PCIE RC TERM	2.2
Date: Friday, August 23, 2019	Sheet 4 of 53	
























VREFC IS NOT USED IN x16 CONFIGURATION
1K OHM PULL-DOWN IS IN PLACE OF THE 1.33K FOR R104
















VREFC IS NOT USED IN x16 CONFIGURATION 1K OHM PULL-DOWN IS IN PLACE OF THE 1.33K FOR R75











MICRO-STAR INT'L CO., LTD
MS-V375

Doc Custom Document Description GPU PWR and GND Rev 2.2
Date: Friday, August 23, 2019 Sheet 15 of 53


FBVDDQ






NVVDD




1V8_AON




NVVDD




IFPAB DVI-D-DL CO-LAYOUT WITH 2x DP









IFPF NC





IFPE NC
















PEX Switcher












DROP OVR3i SOLUTION

	MICRO-STAR INT'L CO.,LTD		
	MS-V375		
	Size	Document Description	Rev
	Custom	PS: NVVDD CTR OVR3i	2.2
Date: Friday, August 23, 2019		Sheet 33 of 53	











DELETE RAIL BALANCE CIRCUIT

	MICRO-STAR INT'L CO.,LTD		
	MS-V375		
	Size	Document Description	Rev
	Custom	Input Power Balancing Switcher	2.2
Date: Friday, August 23, 2019		Sheet	37 of 53







MICRO-STAR INT'L CO.,LTD

MS-V375



Size	Document Description	Rev
Custom	BUCKBOOST	2.2
Date: Friday, August 23, 2019		Sheet 40 of 53




MICRO-STAR INT'L CO.,LTD		
MS-V375		
Size	Document Description	Rev
Custom	PPC	2.2
Date: Friday, August 23, 2019	Sheet 41 of 53	



MICRO-STAR INT'L CO.,LTD		
MS-V375		
Size	Document Description	Rev
Custom	12V & 3V3_A SWITCHER	2.2
Date: Friday, August 23, 2019	Sheet 42 of 53	







MICRO-STAR INT'L CO.,LTD

MS-V375


Size	Document Description	Rev
Custom	SEQUENCE:Voltage Monitor	2.2
Date: Friday, August 23, 2019		Sheet 45 of 53



MICRO-STAR INT'L CO.,LTD

MS-V375

Size	Document Description	Rev
Custom	SEQUENCE:Discharge	2.2
Date: Friday, August 23, 2019		Sheet 46 of 53






MICRO-STAR INT'L CO.,LTD

MS-V375


Size	Document Description	Rev
Custom	LOGO LED	2.2
Date: Friday, August 23, 2019		Sheet 48 of 53

Firmware Programming

Debug




ADD LED




25

25




(Not)





LED_A

LED_B

5V_LED







MODE PIN STATUS	MULTIPLEXER OPERATION
LOW	DEVICE A
TRI-STATE(FLOATING)	STAND-ALONE
HIGH	DEVICE B

ENABLE PIN STATUS	MULTIPLEXER OPERATION
LOW	FULLY FUNCTIONAL
TRI-STATE(FLOATING)	LIMITED FUNCTION
HIGH	STANDBY




MICRO-STAR INT'L CO.,LTD
MS-V375


Site Custom
PWR SENSE
Date: Friday, August 23, 2019

Document Description
PWR SENSE
Rev: 2.2
Sheet 51 of 53



Bracket:



MOUNTING HOLES FOR HS:



BACK STIFFENER:





MICRO-STAR INT'L CO.,LTD

MS-V375

Size	Document Description	Rev
Custom	PTC	2.2
Date: Friday, August 23, 2019		Sheet 53 of 53